

# POULTRY



# Liquid feed supplement



430/- Rs.

790/- Rs.

3225/- Rs.

500ml

1 litr

5 litr

## Composition

#### **Each 10ml Contains:**

Choline chloride 1250mg DL methionine 250mg L-Lysine 100mg Inositol 40mg Vitamin B12 30mcg **Biotin** 80mcg Vitamin-E 50mg

#### **Benefits**

- 1. ANFALIV is a Hepato -Protective Formula for General use in all Conditions.
- 2. Prevents Liver Diseases Due to Fat Metabolism and Re-Generates Damaged Hepatocytes.

- 3. Increases Egg Production and Body Weights.
- 4. Results in Better FCR and Feed Efficacy.
- 5. Increases the Fertility and Hatchability.

Advance Liver Protective Formula

6. As an Adjuvant to Anti-Biotic Therapy.

#### Usage & Administration

Chicks: 5ml Per 100 Birds **Growers:** 10ml Per 100 Birds 20ml Per 100 Birds Layers: Breeders: 30ml Per 100 Birds Or as Directed by Veterinarian

/Consultant

## (उपयोग करने की विधि)

चिक्स: प्रति 100 पक्षी 5 मिलीलीटर ग्रोवर्स: प्रति 100 पक्षी 10 मिलीलीटर लेयर: प्रति 100 पक्षी 20 मिलीलीटर प्रति 100 पक्षी 30 मिलीलीटर ब्रीडर: या पश्चिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size	M.R.P
500ml	225/- Rs.
1 litr	410/- Rs.
5 litr	1390/- Rs.

#### Composition

#### **Each 10ml Contains:**

Vitamin-B1 3.75mg Vitamin-B2 1.25mg Vitamin-B6 0.62mg Vitamin B12 6.25mcg **D-Panthenol** 1.25mg Niacinamide 37.5mg Choline Chloride 20mg L-Lsine 10mg DL Methioni 10mg Folic Acid 4mg **Aqueous Base** Q.S

**B-Complex & Amino Acids** 

#### **Benefits**

- 1. Effective Prevention Against Perosis Muscular Dystrophy.
- 2. Increases General Health & Disease Resistance
- 3 Ensures Relief from all Kinds of Stress. ब्रोइलेर्स:
- 4. Better Egg Production in Layers. 5. Enhances Body Weights in Broilers.
- 6. Improves the Fertility and Hatchability in Breeders.

#### **Usage & Administration**

Broilers:

Starters: 10-20ml/100 Birds Finishers: 20-30ml/100 Birds

Layers:

Chicks & Growers: 20-30ml/100 Birds

Layers: 30-40ml/100 Birds

Breeder:40ml/100Birds Or as Directed by Veterinarian /Consultant

#### (उपयोग करने की विधि)

स्टार्टर्स: 10-20 मिलीलीटर / 100 पक्षी फिनिशर्स: 20-30 मिलीलीटर / 100 पक्षी

लेयर:

चिक्स और ग्रोवर्स: 20-30मिलीलीटर / 100 पक्षियों लेयर: 30-40मिलीलीटर / 100 पक्षियों ब्रीडर: 40 मिलीलीटर / 100 पक्षी या पश्चिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size	M.R.P
500ml	425/- Rs.
1 litr	730/- Rs.
5 litr	3150/- Rs.

#### Composition

A Potent Blend of Herbal Extracts of Berberis Aristata, Vitis Vinifera, Origanum Vulgare and Olea Europaea Fortified with Vitamins.

#### **Benefits**

- 1. ANFAVIT is Recommended for Prevention and Control of Diarrhea Caused Due to Bacterial Infestation
- 2. ANFAVIT Helps to Prevent & Control CRD in Poultry Birds.
- 3. Helps in Improving FCR.
- 4. Impoves Survivability Rate & Growth in Farm Animals.
- 5.ANFAVIT also Helps to Reduce Stress.
- 6.ANFAVIT Aids for Quick Recovery in Poultry Birds.

## **Usage & Administration**

For Prevention: 100ml Per 1000 Birds Regularly. For Control of Disease: 100ml Per 100 Birds Or as Directed by Veterinarian//Consultant

#### (उपयोग करने की विधि)

रोकथाम के लिए:

100 मिलीलीटर प्रति 1000 पक्षी नियमित रूप से रोग के नियंत्रण के लिए:

प्रति 100 पक्षी 100 मिलीलीटर

या पशुचिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size	M.R.P
500ml	460/- Rs.
1 litr	900/- Rs.
5 litr	4295/- Rs.



#### Composition

Each 100ml Contains: Copper Sulphate 25.00% Glacial Acetic Acid 2.00% Propionic Acid 2.00% Phosphoric Acid 1.00% Choline Chloride 0.05% Base: Q.S to 100ml

#### **Benefits**

- 1.Binds the Toxin and Mould in Feed & Water Effectively.
- 2.Pathogenic Bacteria in Gut are Controlled by ANFACID-POULTRY.
- 3. Prevents the Outbreak of Diseases.
- 4. Controls the PH of Water, Thus Improving its Quality.

- 5. Stimulates the Liver for Better Digestion and Absorption of Feed Nutrition
- 6. Improves Renal Function and Purifies Blood.

#### **Usage & Administration**

Through Drinking Water: Regular Use: 1ml/10Litre of Water Treatment: 1ml/5Litre of Water

Through Feed:

250-500ml/M.T of Feed Continuously Or as Directed By Veterinarian

#### (उपयोग करने की विधि)

पेयजल के माध्यम से:

नियमित उपयोग:पानी के 1 मिलीलीटर/10 लीटर उपचार: पानी की 1 मिलीलीटर / 5 लीटर फ़ीड के माध्यम से:

निरंतर फ़ीड के 250-500 मिलीलीटर / एमटी या पशुचिकित्सा / सलाहकार द्वारा निर्देशित



#### **Composition**

A Unique Combination of Vitamin A,D3,& E. for Growth Promotion & Immunity Boosting.

#### Benefits

Achieve Faster Growth In Lambs, Calves & Chicks. Increase the Weight In Fattening Animal. Increase the Hardness of Bones to With Stand Large

Increases the Appetite in Fattening Animals. Stimulates the Metabolism.

#### **Usage & Administration**

Each Course 5-7 Days In a Month Poultry: (in drinking water) Grower & Broiler: 3-5ml /100 Birds Layer : 5-7 ml / 100 Birds Chicks: 2-3ml / 100 Birds

Or as Directed By Veterinarian/Consultant.

#### (उपयोग करने की विधि)

प्रत्येक कोर्स एक महीने में 5-7 दिन मुर्गी पालन: (पीने के पानी में) ग्रोवर और ब्रायलर: 3-5 मिली / 100 पक्षी लेयर: 5 -7 मिली / 100 पक्षी चिक्स: 2 -3 मिली / 100 पक्षी या पशुचिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size M.R.P

900/- Rs.

1400/- Rs.

3700/- Rs.

500ml

1 litr

5 litr

Pack Size	M.R.P
500ml	390/- Rs.
1 litr	490/- Rs.
5 litr	1620/- Rs.



#### Composition

Contains Adequate Quantities of Sodium Hydrogen Carbonate, Ammonium Chloride, Vitamin-C. Citrosodine & Halite.

#### **Benefits**

- 1 Acidifies Urine and Help to Keep Kidney Stones Dissolved & Preserves Functional Renal Mass of the Affected
- 2 Prevents Urinary Deposits and Hemorrhages in Real Microlesion, Thereby Preventing Visceral & Articular
- 3 Treats Renal Inflammation Caused by Toxins Chemo Therapeutics or IB Disease & also Prevent Digestive Abnormalities.
- 4 Prevent & Control Nephrosis and Chick Nephropathy

5 UROCID Helps the Birds to Overcome Various Stress Conditions and Helps for the Normal Functioning of the

#### **Usage & Administration**

For Prevention of Gout: Broilers: 3 to 5 ml/100 Birds/Day For 3-5 Days Layers: 5 to 10ml/ 100 Birds/Day for 5 Days For Control of Gout

Broilers: 5 to 10ml/100 Birds/Day for 5-7 days Layers: 20ml/100 Birds/Day For 5-7 Days. Mild Infection: 1-2ml/7kg of Birds Weight Severe Infection: 1-2ml/5kg of bird Weight

#### (उपयोग करने की विधि)

गठिया के रोकथाम के लिए

ब्रोइलेर्स: 3 से 5 मिली/ 100 पक्षी / 3-5 दिनों के लिए लेयर्स: 5 से 10 मिली/ 100 पक्षी / 3-5 दिनों के लिए गठिया के नियंत्रण के लिए

ब्रोइलेर्स: 5 से 10 मिली/ 100 पक्षी / 5-7 दिनों के लिए लेयर्स: 20मिली/ 100 पक्षी / 5-7 दिनों के लिए हल्का संक्रमण: 1-2 मिलीग्राम / 7 किलो पक्षी वजन

के लिए

गंभीर संक्रमण: 1-2 मिलीग्राम / 5 किलो पक्षी वजन के लिए



<b>Pack Size</b>	M.R.P
500ml	485/- Rs.
1 litr	840/- Rs.
5 litr	3450/- Rs.

#### Composition

A unique Combination of: Ferric ammonium Citrate Chelated Copper Sulphate Cobalt Chloride Cholecalciferol Nicotinamide **Biotin** Folic Acid

#### **Benefits**

- 1.Increases the Blood Formation by Improvement of Hemoglobin in Blood
- 2.Enhances Fertility.

Cyanocobalamin

- 3. Enhances Body Growth
- 4.Iron is a Principal Ingredient which Support in Maintaining Red Blood Cells.
- 5. Chelated Copper Helps in Absorption of Iron as Well as Development & Maturation of Red Blood Cells.



#### Revolutionary Hematinic

- 6. Folic Acid Helps in Growth of Red Blood Cells 7. Cobalt Chloride Helps in CHO, Protein, Fat Metabolism and Supports in Anemic Conditions.
- 8. Vitamin B12 Helps in Better Growth.
- 9. Vitamin-H Helps to Cure Fatty Liver Syndrome

#### **Usage & Administration**

Poultry(100 Birds)

Chicks 50ml Growers 100ml Broiler 150ml **Growers Layer** 100ml Layers 150ml

Breeder 200ml Or as Advised by Veterinarian consultant

## (उपयोग करने की विधि)

मुर्गी पालन (1000 पक्षियों)

चिक्स: 50 मिलीलीटर 100 मिलीलीटर ग्रोवर्स: 150 मिलीलीटर ब्रायलर: ग्रोवर्स लेयर: 100 मिलीलीटर लेयर: 150 मिलीलीटर ब्रीडर: 200 मिलीलीटर या पशुचिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size	M.R.P
500ml	550/- Rs.
1 litr	990/- Rs.
5 litr	4500/- Rs.



#### Composition

Each 100 ml has nutritional value of Protein Hydrolysate-32 gm to supply proximate content of nutritionally essential Amino acids along with other nutrients

Arginine Cystine Glycine Histidine Isoleucine Leucine Lysine Serine Tyrosine Threonine Tryptophan Valine	1.712 mg 0.374 mg 1.036 mg 0.638 mg 1.068 mg 1.848 mg 1.467 mg 1.248 mg 1.041 mg 0.938 mg 0.403 mg 1.129 mg	Potassium Sodium Magnesium Manganese Zinc. Iron Cobalt Papain Yeast Extract Carbohydrates Copper Calcium DI - Methiopine	223 mg 667 mg 556 mg 5.56 mg 2.23 mg 72 mg 1.34 mg 333 mg 667 mg 56.0 mg 1.33 mg
Phenylalanine	1.129 mg	DL- Methionine	0.338 mg
	_	Chloride	1020 mg

#### **Benefits**

For Healthy Growth
For Faster Weight Gain
For Improved Feed Conversion
Ratio.

For Better Fertility
For Reduced Mortality
Helps In Vitamins Deficiency
Helps Under Malnutrition Condition
Supportive Therapy In Molting
Anorexia.

Improves Fatty Liver Conditions.

#### **Usage & Administration**

Poultry (1000 birds)
Chicks 50ml
Growers 100ml
Broiler 150ml
Growers layer 100ml

Layers 150ml Breeder 200ml (or) as directed by Veterinarian

#### (उपयोग करने की विधि)

मुर्गी पालन(100 पक्षी) चिक्स: 50 मिली ग्रोवर्स: 100 मिली ब्रायलर: 150 मिली ग्रोवर्स लेयर: 100 मिली लेयर: 150 मिली ब्रीडर: 200 मिली या पश्चिकित्सा / सलाहकार द्वारा निर्देशित



### Composition

Advanced formulation of Vitamin A, D3, E & C with Added Advantages of Vitamin H & Selenium.

#### **Benefits**

- 1. Reduces Mortality by Reducing Stress,
- 2. Effective for Calcium & Phosphorus Utilization.
- 3. Reduces Stress Caused due to Various Factors.
- 4. Improves lactation in low lactating Animals.
- 5. Maintains Udder Health.
- 6. Gives Strength to Udder Tissues
- to hold more Milk.
  7. Useful for repeat breeders

- 8. Prevents Alopecia
- 9. Improves Body Coat 10.Helps in wound healing in F.M.D, Mastitis & Enteritis etc.

#### **Usage & Administration**

Each Course 5-7 Days In a Month Poultry: (in drinking water ) Broilers:

Starters: 5-10ml/100 Birds Finishers: 10-15ml/100 Birds

Layers:

Chicks & Growers: 10-15ml/100 Birds Layers: 15-20ml/100 Birds Breeder: 20ml/100Birds

Or As Directed By Veterinarian/ Consultant.

Consultant.

### (उपयोग करने की विधि)

प्रत्येक कोर्स एक महीने में 5-7 दिन मुर्गी पालन: (पीने के पानी में) ब्रॉइलर

शुरुआत: 5-10 मिली / 100 पक्षी अंत: 10-15 मि.ली. / 100 पक्षी

चिक्स और ग्रोवर: 10-15 मि.ली. / 100 पक्षी लेयर: 15-20 मि.ली. / 100 पक्षी ब्रीडर: 20 मि.ली. / 100 पक्षी या पशुचिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size M.R.P

1290/- Rs.

2100/- Rs.

7920/- Rs.

500ml

1 litr

5 litr

Pack Size	M.R.P
500ml	730/- Rs.
1 litr	1350/- Rs.
5 litr	5950/- Rs.

# Calavian

#### Highly Bio-available Calcium

### Composition

Liquid concentrated feed supplement of Calcium, Vitamin D3, B12 & Iron

Each 10 ml Contains
Calcium gluconate 4445mg
Calcium D saccharate 20gm
Vitamin D3 8000IU
Ferric ammonium citrate 835mg
Vitamin B12 83.5mcg

### Benefits

- 1. A Highly Concentrated Source of Chelated Calcium for Better Results.
- 2. Maximum Bio-available Calcium.
- Less Quantity Required for Faster Mixing.

- Liquid concentrated feed supplement 4. Clear Solution Prevents Sedimentation
  - During Feeding Through Nipples.

    5. Faster Growth Better Body Weight
  - 5. Faster Growth Better Body Weight6. Higher Egg Production & Improved Quality.
  - 7. Helps Rickets Osteomalacia
  - 8. Stunted Growth & Leg Weakness.

#### **Usage & Administration**

Through drinking water for 100 birds Chicks: 2ml daily Growers & Broilers: 4ml daily Layers & Breeders: 10ml daily Or As Directed By Veterinarian/

## (उपयोग करने की विधि)

100 पक्षियों के लिए पीने के पानी के माध्यम से चूजों को: रोजाना 2 मि.ली. ग्रोवर और बॉयलर्स: रोजाना 4 मि.ली. लेयर और ब्रीडर:रोजाना 10 मि.ली. या पशुचिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size	M.R.P
500ml	980/- Rs.
1 litr	1490/- Rs.
5 litr	4200/- Rs.

#### Composition

A Powerful Combination of Vitamin A,D3, & E with added Advantage of Vitamin C for Better Growth, Production & Immunity.

#### **Benefits**

- 1. Prevents Vitamins Deficiency.
- 2. Reduce Mortality Ratio.
- 3. Aids in Maintaining Immunity.
- 4. Enhances Body Weight & Growth.
- 5. Helps to give Better FCR.

## VITAMIN - AD3E + C

6. Gives Quick Relief from the Stress Caused Due to Vaccination, Debeaking, Deworming, Transportation/Shifting, Climate Disturbances & other Stress Factors

#### **Usage & Administration**

Each Course 5-7 Days In a Month Poultry: (in drinking water ) Broilers:

Starters: 5-10ml/100 Birds Finishers: 10-15ml/100 Birds

Layers:

Consultant.

Chicks & Growers: 10-15ml/100 Birds Layers: 15-20ml/100 Birds Breeder: 20ml/100Birds Or as Directed By Veterinarian/

#### (उपयोग करने की विधि)

प्रत्येक कोर्स एक महीने में 5-7 दिन मुर्गी पालन: (पीने के पानी में) ब्रॉइलर शरुआत: 5-10 मिली / 100 पक्षी

शुरुआत: 5-10 मिली / 100 पक्षी अंत: 10-15 मि.ली. / 100 पक्षी लेयर

चिक्स और ग्रोवर: 10-15 मि.ली. / 100 पक्षी लेयर: 15-20 मि.ली. / 100 पक्षी ब्रीडर: 20 मि.ली. / 100 पक्षी

ब्राडर: 20 ाम.ला. / 100 पक्षा या पशुचिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size	M.R.P
500ml	260/- Rs.
1 litr	390/- Rs.
5 litr	1145/- Rs.

## Composition

A Unique Combination of 3 Strengths of Highly Bio Available Calcium Sources including, Gluco based Calcium, Lacto Based Calcium and Organic Calcium Compounded with Vitamin D3 For Better Absorption.

#### **Benefits**

Helps prevent problems of thin shells, Rough/and broken Eggs.
 For Production drop, rickets osteomalacia, anaemia, Stunted. growths, Lameness, leg weakness, prolapse, cannabolism enhances



Egg production.

3.) For growth, body weights, health & activeness.

#### **Usage & Administration**

For 5-7 Days

Chicks & growers: 10-20 ml/

100 birds.

Layers : 20-25 ml./100 birds

Broilers:

Starters: 10-20 ml./ 100 birds finishers: 25-50 ml. 100 birds Or as Directed by Veterinarian/

Consultant

### (उपयोग करने की विधि)

5-7 दिनों के लिए चिक्स और ग्रोवर्स: 10-20 मिलीलीटर / 100 पक्षियों लेयर: 20-25 ml./100 पक्षियों बोडलेर्स:

स्टार्टर्स:: 10 -20 मिली / 100 पक्षियों फिनिशर्स: 25 -50 मि.ली. / 100 पक्षियों या पशुचिकित्सा / सलाहकार द्वारा निर्देशित



Pack Size	M.R.P
500ml	1100/- Rs.
1 litr	2050/- Rs.
5 litr	9550/- Rs.

## SelE-Tonic

## **Immunity Booster**

#### Composition

Advanced Formulation of Natural Immunity Booster With added Advantages of Vitamin-E & Selenium

#### **Benefits**

- 1. Boost the immunity.
- 2. Gives Strength and Vitality.
- 3. Helps to Tolerate Extra Stress.4. Potentiates Immunity by Increasing
- Leukocyte Count
  5. Improves the Weight of Bursa, Spleen &
- Thymus Thereby Immunity
  6. Improves Vaccination Litre Against ND &
- 7. Reduces the Stress During Deworming, Vaccination, Transportation & Debeaking

- 8. Helps During Crazy Chick Disease, Exudative diathesis & Muscular dystrophy.
- 9. Enhances Fertility, Hatchability and Overall Performance and Production.

#### **Usage & Administration**

Broilers:

Starters: 2-5ml/100 Birds Finishers: 5-7ml/100 Birds

Layers:

Chicks & Growers: 5-7ml/100 Birds Layers: 7-10ml/100 Birds Breeder:10ml/100Birds Or as Directed by Veterinarian/

Consultant

## (उपयोग करने की विधि)

ब्रोइलेर्स:

स्टार्ट्स: 2-5 मिलीलीटर / 100 पक्षी फिनिशर्स: 5-7 मिलीलीटर / 100 पक्षी लेयर:

चिक्स और ग्रोवर्स: 5-7 मिलीलीटर / 100 पक्षियों लेयर: 7-10 मिलीलीटर / 100 पक्षियों ब्रीडर: 10 मिलीलीटर / 100 पक्षी

या पशु चिकित्सक द्वारा निर्देशित/ सलाहकार



Pack Size	M.R.P
500ml	295/- Rs.
1 litr	450/- Rs.
5 litr	1420/- Rs.

#### Composition

A Potent Blend of Natural Liver Extracts, Along with Organic Liver Stimulating Minerals, Fortified with Vitamin B12 to Support Better Functioning of Liver.

#### **Benefits**

- 1. Ensures Proper Liver Functioning.
- 2. It Aids in Detoxification of Harmful Toxins.
- 3. Helps in Proper Secretion of Enzymes.
- 4. Act as Hepatoprotective & Hepatoregenerative.
- Protects the Liver Against Toxic Effects, Chemical Drugs, and Various Toxins.

## Organic LIVER TONIC

- 6. Fast Regeneration of Liver Cells & Tissues Increased Productivity
- 7. Achieve Faster Growth.
- 8. Feed Metabolism Improved.

#### **Usage & Administration**

Grower & Broiler: 10-20 ml/ 100 Birds Layer & Finisher: 20-25 ml / 100 Birds Or as directed by veterinarian/ consultant.

## (उपयोग करने की विधि)

ग्रोवर्स, ब्रोइलेर्स: 10-20 मिलीलीटर / 100 पक्षियों लेयर, फिनिशर्स: 20-25 ml./100 पक्षियों या पशुचिकित्सा / सलाहकार द्वारा निर्देशित

## **CRD FINISH**

HI POWER AND DOUBLE ACTION PRODUCT



Pack Size	M.R.P
500ml	575/- Rs.
1 litr	750/- Rs.
5 litr	3490/- Rs.

#### **Composition**

Herbal extracts of berberis aristata Vitis vinifera Origanum vulgare Olea Europaea fortified with vitamins

#### **Benefits**

To control bacterial infections like E.Coli, salmonellosis, haemophillus CRD, Coryza Fowl Cholera etc. Help to reduce stress and acids for quick recovery.

## (उपयोग करने की विधि)

कुक्कुट: प्रति दिन 100 पक्षियों के लिए/ 5-7 दिन।

चूजे/उत्पादक/परत 10 मिली/ 2 लीटर/ पानी। पशु चिकित्सक के निर्देशानुसार/ सलाहकार

## **Usage & Administration**

**Poultry:** for 100 birds per day/ 5-7

Chicks/growers/layers: 10ml/2Liter/water. or as Directed by Veterinarian/Consultant



Pack Size	M.R.P
500ml	330/- Rs.



## Composition Each 100ml contains 5. Helps in overcoming stress due heat.

6. Prevents dehydration.

7. Energizes body.

- 8. Maintains calcium-magnesium level essential for egg shell formation
- 9. Decreases mortality rate due to heat stress
- 10. Increases performance and productio

#### **Benefits**

Lactobacillus spores &

Sodium chloride

Sodium citrate

Ascorbic Acid

**Calcium lactate** 

Potassium chloride

Sodium bicarbonate

Magnesium sulphate

Sodium acid phosphate

1. Maintains the Electrolyte balances by process of neutralization & thus provides Strength.

100 mg

75 mg

20 mg

25 mg

25 mg

25 mg

Q.S

125 mg

- 2. Act as an adjuvant and supportive therapy during anti biotic treatment
- 3. Re-hydrates the body during summer
- 4. An ideal Immunity booster.

### (उपयोग करने की विधि)

कुक्कुट: 5 लीटर में 20-50 मि.ली. पेय जल गाय, भैंस, घोड़ा: 100 -200 मिली / पशु / दिन बछड़ा और बिछया - 50 - 80 मिली / पशु / दिन। भेड़ और बकरी - 50 - 80 मिली / पशु / दिन। बकरी का बच्चा और मेमना - 25 - 40 मिली / पशु / दिन। या पशु चिकित्सक सलाहकार द्वारा सलाह के अनुसार

#### Usage & Administration

Poultry: 20-50ml in 5 ltr. drinking water Cow, Buffalo, Horse: 100-200ml/Animal/Day
Calf & Heifer: 50-100ml/ Animal/Day
Sheep & Goat: 50-80ml/Animal/Day
Goat kid & Lamb: 25-40ml/Animal/Day

Or as Advised by Veterinarian consultant



Pack Size	M.R.P
500ml	950/- Rs.
1 litr	1600/- Rs.
5 litr	6300/- Rs.

## ECOLI FINISH

#### **Poultry Bacteria & Toxins Eliminator**

#### Composition

A Unique Formulation of Copper Sulphate & Choline Chloride along with Essential Organic Acids to Eliminate Bacteria & toxins from poultry birds

#### **Benefits**

- 1.Pathogenic Bacteria in Gut are Controlled by Ecoly finish.
- 2.Binds the Toxin and Mould in Feed & Water Effectively.
- 3.Improves Renal Function and Purifies Blood.4.Prevents the Outbreak of Diseases.
- 5.Stimulates the Liver for Better Digestion and Absorption of Feed Nutrition.
- 6.Controls the PH of Water, Thus Improving its Quality.

#### **Usage & Administration**

## Regular treatment Use 1st week- 2ml for 1 litre water 2nd week- 5ml for 1 litre water 3 rd week- 5ml for 10 litre water

4th week- 7ml for 10 litre water

### Medical treatment Use

1st day- 10 ml for 1 litre water 2nd day- 5 ml for 1 litre water 3rd day- 3 ml for 1 litre water Or as Directed By Veterinarian/ Consultant

## (उपयोग करने की विधि)

नियमित उपचार उपयोग पहला हफ्ता- 1 लीटर पानी में 2 मिली दूसरा सप्ताह- 1 लीटर पानी में 5 मिली तीसरा सप्ताह - 10 लीटर पानी में 5 मिली चौथा सप्ताह- 10 लीटर पानी में 7 मिली चिकित्सा उपचार उपयोग पहला दिन- 1 लीटर पानी में 10 मिली दूसरा दिन- 1 लीटर पानी में 5 मिली तीसरा दिन- 1 लीटर पानी में 3 मिली या पशु चिकित्सक के निर्देशानुसार/ सलाहकार



Pack Size	M.R.P
500ml	460/- Rs.
1 litr	900/- Rs.
5 litr	4295/- Rs.

# LOOSE DROP

#### Composition

#### Each 100ml Contains:

Copper Sulphate: 25.00%
Glacial Acetic Acid: 2.00%
Propionic Acid: 2.00%
Phosphoric Acid: 1.00%
Choline Chloride: 0.05%

Choline Chloride: 0.05%
Base: q.s to 100ml

Stimulates the Liver for Better Digestion & Absorption of Feed Nutrition

6. Improves Renal Function& Purifies Blood.

#### **Benefits**

- Binds the Toxin and Mould in Feed
   Water Effectively.
- 2. Pathogenic Bacteria in Gut are Controlled by ANTI LOOSE DROP.
- 3. Prevents the Outbreak of Diseases.
- Controls the PH of Water, thus Improving its Quality.

## (उपयोग करने की विधि)

पीने के पानी के माध्यम से: नियमित उपयोग – 1 मि ली / 10 लीटर पानी उपचार – 1 मि ली / 5 लीटर पानी फ़ीड के माध्यम से: फ़ीड के – 250 -500 मिलीलीटर / मीट्रिक टन लगातार निर्देशित के रूप में पश चिकित्सक / सलाहकार

#### **Usage & Administration**

Through Drinking Water:
Regular Use: 1ml/10Litre
of Water
Treatment: 1ml/5Litre
of Water
Through Feed:
250-500ml/M.T of Feed
Continuously
Or As Directed By

Veterinarian/Consultant



**Innovative Animal Health Care** 

B-44, Sector-4 Noida UP